Clinician Instructions

| Date: | _ |
|---------|---|
| Animal: | |

| Medications | 5a | 6a | 7a | 8a | 9a | 10a | 11a | 12p | 1p | 2p | 3р | 4p | 5p | 6р | 7p | 8p | 9p | 10p | 11p | 12a | 1a | 2a | За | 4a |
|-------------|----|----|----|----|----|-----|-----|-----|----|----|----|----|----|----|----|----|----|-----|-----|-----|----|----|----|----|
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

^{**}Wait 5 minutes between eye drops and give ointments last**
When using the lavage tube administer 0.05ml of medication followed by 1ml of air SLOWLY
Make sure the medications are reaching the eye at least twice daily